


# HYDROFRESH

## EQUIPO PRESURIZADOR



## CURVA DE RENDIMIENTO




## TABLA DE PRESTACIONES 50 Hz

MODELO	HP	BAÑOS	TANQUE	ASP X DESC.	BOMBA	ALTURA MANOMÉTRICA (METROS)													
						5	10	15	18	20	22	25	28	30	32	35	40		
HYDROFRESH 2.0	0,5	Hasta 2	2 lts.	1" x 1"	PKm60 MD	3,8	3	2	1,4	0,9	0,5	Caudal m <sup>3</sup> /h							
HYDROFRESH CP 2.0	0,5	Hasta 4	2 lts.	1" x 1"	CPm 130			6,4	4,5	3	1,8	0,1							
HYDROFRESH CP-ST 2.0	1	Hasta 6	2 lts.	1" x 1"	CPm 150 ST				7,2	6,7	6,3	5,8	4,8	2					
HYDROFRESH 24 SF	0,5	Hasta 2	24 lts.	1" x 1"	PKm 60	2,4	2,1	1,8	1,6	1,5	1,3	1,2	1,1	0,9	0,75	0,6	0,2		
HYDROFRESH 50 CL	1	Hasta 6	50 lts.	1" x 1"	CPm 158							5,4	4,4	3,6	2,4				
HYDROFRESH 200	1	16 duchas	38 lts.	1 1/2" x 1 1/2"	HFm51A			17	12	7,5	3,5								
HYDROFRESH 280	1	20 duchas	38 lts.	1 1/2" x 1 1/2"	HFm70C				18	16	14	12	7,9	3					

# HYDROFRESH

## Equipo presurizador

### CURVA DE RENDIMIENTO



### TABLA DE PRESTACIONES 50 Hz

MODELO	HP	BAÑOS	TANQUE	ASP X DESC.	BOMBA	ALTURA MANOMÉTRICA (METROS)											
						12	14	16	18	20	22	24	26	27	28	29	30
HYDROFRESH DUO 38/240I	0,75	Hasta 4	38 lts.	1 1/2" x 1 1/2"	CPm132-ST4	13	12	11	9,5	7,5	4	Caudal m <sup>3</sup> /h					
HYDROFRESH DUO 60/260I	1	Hasta 8	60 lts.	1 1/2" x 1 1/2"	CPm150-ST4		13,2	12,7	12	11,3	10,5	9,4	8	6,9	5	2	0,5
HYDROFRESH DUO 60/280	1,5	Hasta 6	60 lts.	1 1/2" x 1 1/2"	HFm70C		18	17	15,5	13,7	11,7	9	6,5	5	3		